

3.5in Front Bay 22-in-1 USB 2.0 Internal Multi Media Memory Card Reader - Black

StarTech ID: 35FCREADBK3



The 35FCREADBK3 3.5" Multimedia Card Reader offers quick and easy access to the most popular flash card formats, from the front panel of almost any desktop computer.

Suitable for quickly accessing memory cards from virtually any portable media device (e.g. digital cameras, MP3 players, etc.), this versatile media card reader supports 22 of the most popular card types, including: Compact Flash (CF type I/II), Secure Digital (SD/miniSD/microSD/SDHC/SDXC), MultiMediaCard (MMC/RS-MMC/HS-MMC/MMCmobile/MMCplus/MMCmicro/HC-MMC), MemoryStick (MS/MS Duo/HS-MS/MS PRO/MS PRO Duo/MS PRO-HG Duo/MS-ROM/M2), and xD Picture cards, this reader is ready to handle the memory cards from virtually any portable device from cameras to music players.

The card reader also allows simultaneous access to multimedia card types (excluding same type media), allowing you to copy files from or between different cards at the same time.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

Applications

- Photographers who need to regularly transfer files from their camera memory card to a computer
- Transferring files to and from a variety of portable devices, each using a different memory card format





Features

- Supports CompactFlash type I/II, SD/miniSD/microSD/SDHC/SDXC, MMC/RS-MMC/HS-MMC/MMCmobile/MMCplus/MMCmicro/HC-MMC, MemoryStick (MS/MS Duo/HS-MS/MS PRO/MS PRODuo/MS PRO-HG Duo/MS-ROM/M2), and xD Picture card
- Front panel USB port for convenient access
- Fits into any external 3.5in drive bay
- High Speed USB 2.0 compliant, with support for data transfer rates up to 480 Mbps
- Powered directly from the USB connection
- Durable metal enclosure
- Power/Activity LED indicator
- Connects internally to a 9-pin USB motherboard header via included cable
- Plug and Play compatible



Technical Specifications

Warranty 2 Years
Chipset ID ITE - 1336

Connector Type(s) 1 - IDC (10 pin; Motherboard Header)

External Ports 1 - CompactFlash (50 pin) Slot

External Ports 1 - Memory Stick / Memory Stick Pro Slot

External Ports 1 - Memory Stick Micro (M2) Slot External Ports 1 - MiniSD / MicroSD / MMC Slot

External Ports 1 - SD / MMC Slot External Ports 1 - USB A (4 pin)

External Ports 1 - xD-Picture Card Slot

Memory Media Type CF (Compact Flash I/II Card)

Memory Media Type HS-MMC, HC-MMC (High Speed/High Capacity Multimedia Card)

Memory Media Type HS-MS (High Speed Memory Stick)

Memory Media Type M2 (Memory Stick Micro)

Memory Media Type Memory Stick

Memory Media Type Micro-SDHC (Micro Secure Digital High Capacity)
Memory Media Type Mini-SD, Micro-SD (Mini/Micro Secure Digital)

Memory Media Type MS Duo, MS Pro Duo, MS Pro-HG Duo

Memory Media Type Multi Media Card

Memory Media Type RS-MMC (Reduced Size Multimedia Card)
Memory Media Type SD/MMC (Secure Digital/Multimedia Card)

Memory Media Type SDHC (Secure Digital High Capacity)

Self Powered

Memory Media Type SDXC (Secure Digital eXtended Capacity)

Memory Media Type xD (Extreme Digital) Picture Card

OS Compatibility Windows 2000/ XP(32/64-bit)/ Server 2003(32/64-bit)/ Server 2008 R2/ Vista(32/64-bit)/

7(32/64-bit)/ 8 (32/64-bit) Linux kernel 2.4.x or later

Color Black

Power Adapter Included

Enclosure Type Steel and Plastic
Product Length 130 mm [5.1 in]
Product Width 105 mm [4.1 in]
Product Height 25 mm [1 in]
Product Weight 164 g [5.8 oz]
LED Indicators 1 - Power/Activity





Operating Temperature 0°C to 70°C (32°F to 158°F)
Storage Temperature -40°C to 125°C (-40°F to 257°F)

Humidity 15~85%

Note Simultaneous card access is limited to different media card types

System and Cable Available internal 9-pin USB motherboard header Requirements

1 - Card Reader

Shipping (Package) 0.2 kg [0.5 lb]

Weight

Included in Package 1 - 9-pin IDC USB cable
Included in Package 1 - Bag of Mounting Screws

Included in Package 1 - Instruction Manual

Certifications, Reports and Compatibility







Included in Package





