

USB 3.0 Dual-Monitor Docking Station - HDMI and DVI / VGA

Product ID: DK30ADD



This USB 3.0 dual-monitor docking station lets you add the ports you need to your laptop, to maximize your workstation performance. The laptop dock provides a cost-effective universal docking solution, with support for HDMI® and DVI monitors and plenty of connection options for peripherals.

Enhance productivity with a dual-video workstation

The versatile laptop docking station enables you to improve your efficiency and productivity by expanding the display capabilities of your Windows laptop or MacBook. Set up dual displays by connecting to one HDMI and one DVI monitor. Plus, the dock includes a DVI to VGA adapter, so you can connect your legacy VGA monitor in place of a DVI monitor.

With the dual-monitor dock, you can connect:

- 1x HDMI display + 1x DVI display at 2048 x 1152 resolution @ 60Hz
- 1x HDMI display at 2048 x 1152 resolution + 1x VGA display at 1920 x 1200 resolution @ 60Hz

The USB 3.0 docking station offers a fast and easy way to maximize your laptop's workable screen space, giving you three screens in total when coupled with your laptop's display.

All the connections you need

This USB docking station lets you easily connect your keyboard, external drives and other peripherals, to transform your laptop into a powerful, fully capable workstation. The dock features a USB Type-B dock connection (host) for more robust port stability, unlike the Micro-B ports that are often used on other docking stations. From the single USB 3.0 host connection, the dock provides six USB 3.0 (Type-A) ports, a Gigabit Ethernet port, plus a 3.5 mm audio headphone port. Two of the USB 3.0 ports are always-on fast-charging ports, adding charge-and-sync flexibility for up to two mobile devices.

Perfect desktop companion

The compact, horizontal design of the laptop docking station makes it easy to position on your desk, alongside your other devices and peripherals. It's an attractive addition to any workspace, with a sleek silver and black finish that matches most laptops.

The DK30ADD is backed by a StarTech.com 3-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Provides essential connectivity and dual-monitor capability for professional office environments in businesses, organizations and institutions
- Ideal for shared workspaces in hotels, or for short-term hot desk applications
- Add dual video outputs to a laptop or small form factor computer, where the video card cannot be replaced
- Connect a wide variety of peripherals at home/office to a laptop all from a single USB connection

Features

- Connect dual displays using either HDMI + DVI, or HDMI + VGA combinations, or a single monitor
- DisplayLink certified chipset, with dual-video support for Mac and Windows laptops
- Six USB 3.0 ports (USB Type-A), including two always-on, fast-charging ports
- Gigabit Ethernet port supporting Wake-on-LAN
- DVI to VGA adapter included, enabling you to connect to a legacy VGA display
- Convenient front 3.5 mm audio headphone port
- Firm port stability with a USB Type-B host port, unlike some docking stations that use a more fragile Micro-USB port

| | | | |
|---------------------|-------------------------------------|---|--|
| Hardware | Warranty | 3 Years | |
| | 4K Support | No | |
| | Bus Type | USB 3.0 | |
| | Chipset ID | DisplayLink - DL-3900 VIA/VLI - VL813 | |
| | Displays Supported | 2 | |
| | Fast-Charge Port(s) | Yes | |
| | Industry Standards | USB Battery Charging Specification Rev. 1.2 IEEE 802.3, IEEE 802.3u, IEEE 802.3ab USB 3.0 - Backward compatible with USB 2.0/1.1 | |
| | Interface | USB 3.0 | |
| Performance | Auto MDIX | Yes | |
| | Compatible Networks | 10/100/1000 Mbps | |
| | Full Duplex Support | Yes | |
| | Maximum Data Transfer Rate | 5 Gbps (USB 3.0) 2 Gbps (Ethernet; Full-Duplex) | |
| | Maximum Digital Resolutions | Dual displays - HDMI + DVI - 2048 x 1152 @ 60Hz Dual displays - HDMI 2048 x 1152 + VGA 1920 x 1200 @ 60Hz | |
| | Type and Rate | USB 3.0 - 5 Gbit/s | |
| | UASP Support | Yes | |
| Connector(s) | Connector Type(s) | 1 - DVI-I (29 pin) Female 1 - 19 pin HDMI Female Female 2 - USB 3.0 A (Fast-Charge, 9 pin, SuperSpeed) Female 4 - USB Type-A (9 pin) USB 3.0 Female 1 - Ethernet Gigabit Female 1 - 3.5 mm Mini-Jack (4 Position) Female | |
| | Software | OS Compatibility | Windows® 7, 8, 8.1, 10 Mac OS® 10.10 to 10.13 |
| | Special Notes / Requirements | Note | USB 3.0 is also known as USB 3.1 Gen 1; this connectivity standard offers speeds up to 5Gbps. A DVI to VGA adapter is included. |
| | | System and Cable Requirements | A host laptop with an available USB-A port. |
| | Indicators | LED Indicators | 1 - Power |
| | Power | Center Tip Polarity | Positive |

| | | |
|---------------------------------|------------------------------|---|
| | Input Current | 1 A |
| | Input Voltage | 100 ~ 240 AC |
| | Output Current | 2 A |
| | Output Voltage | 20V DC |
| | Plug Type | N |
| | Power Consumption (In Watts) | 40W |
| | Power Source | AC Adapter Included |
| Environmental | Humidity | 10-90% non-condensing |
| | Operating Temperature | 0°C to 40°C (32°F to 104°F) |
| | Storage Temperature | -10°C to 70°C (14°F to 158°F) |
| Physical Characteristics | Cable Length | 1000 mm [39.4 in] |
| | Color | Black & Silver |
| | Enclosure Type | Plastic |
| | Product Height | 31.2 mm [1.2 in] |
| | Product Length | 216.1 mm [8.5 in] |
| | Product Weight | 291 g [10.3 oz] |
| | Product Width | 86.2 mm [3.4 in] |
| Packaging Information | Shipping (Package) Weight | 815 g [28.8 oz] |
| What's in the Box | Included in Package | 1 - docking station 1 - USB 3.0 cable 1 - DVI to VGA adapter 1 - universal power adapter (NA/JP, UK, EU, ANZ) 1 - quick-start guide |

Product appearance and specifications are subject to change without notice.