

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or

HP Color LaserJet CF412A-X-XC Yellow Print Cartridge

designation of the mixture

Registration number -

Synonyms None.

Issue date 16-Oct-2015

Version number 04

**Revision date** 31-Mar-2016 **Supersedes date** 17-Mar-2016

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** This product is a yellow toner preparation that is used in HP Color LaserJet Pro M452, HP Color

LaserJet Pro MFP M477, HP Color LaserJet Pro MFP M377 series printers.

Uses advised against None known.

Company identification HP Inc UK Limited

Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03)

Bracknell, United Kingdom RG12 1HN Telephone 44 (0) 879 013 0790

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Inc. Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

### 2.2. Label elements

# Label according to Regulation (EC) No. 1272/2008 as amended

**Contains:** Amorphous silica, Pigment, Styrene acrylate copolymer, Wax

Hazard pictograms None. Signal word None.

**Hazard statements** The mixture does not meet the criteria for classification.

**Precautionary statements** 

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Supplemental label

information

None.

**2.3. Other hazards**None of the other ingredients in this preparation are classified as carcinogens according to ACGIH,

EU, IARC, MAK, NTP or OSHA. This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined

under Regulation (EC) 1907/2006.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Material name: CF412A-X-XC SDS UK

13779 Version No.: 04 Revision date: 31-Mar-2016 Print date: 31-Mar-2016

#### **General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate copolymer	<85	Trade Secret	-	-	
Classification: -					
Pigment	<10	Trade Secret	-	-	
Classification: -					
Wax	<10	Trade Secret	-	-	
Classification: -					
Amorphous silica	<3	7631-86-9 231-545-4	01-2119379499-16-xxxx	-	
Classification: -					

### **SECTION 4: First aid measures**

**General information** Not available.

4.1. Description of first aid measures

**Inhalation** Move person to fresh air immediately. If irritation persists, consult a physician.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

**Eye contact** Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

**Ingestion** Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

4.2. Most important symptoms and effects, both

symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention

and special treatment

needed

Not available.

Not available.

# **SECTION 5: Firefighting measures**

**General fire hazards** Not available.

5.1. Extinguishing media

Suitable extinguishing

media

CO2, water, or dry chemical

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or

mixture

Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

**Special fire fighting** 

procedures

If fire occurs in the printer, treat as an electrical fire.

**Specific methods** None established.

Material name: CF412A-X-XC SDS UK

13779 Version No.: 04 Revision date: 31-Mar-2016 Print date: 31-Mar-2016

#### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Minimize dust generation and accumulation.

For emergency responders

Not available.

6.2. Environmental

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

precautions

considerations. Not available.

6.3. Methods and material for

containment and cleaning up

6.4. Reference to other

Not available.

sections

**SECTION 7: Handling and storage** 

7.1. Precautions for safe

handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store

away from strong oxidizers.

7.3. Specific end use(s)

Not available.

# **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

**Occupational exposure limits** 

No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

**Recommended monitoring** 

procedures

Not available.

**Derived no-effect level** 

(DNEL)

Not available.

**Predicted no effect** concentrations (PNECs) Not available.

**Exposure guidelines** 

USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

8.2. Exposure controls

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

**General information** No personal respiratory protective equipment required under normal conditions of use.

Eye/face protection

Not available.

Skin protection

- Hand protection Not available. - Other Not available. Respiratory protection Not available. Not available. Thermal hazards **Hygiene measures** Not available. **Environmental exposure** Not available.

controls

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

**Appearance** Fine powder Solid. Physical state

Material name: CF412A-X-XC

13779 Version No.: 04 Revision date: 31-Mar-2016 Print date: 31-Mar-2016 3 / 7

**Color** Yellow

Odor Slight plastic odor
Odor threshold Not available.

PH Not applicable
Melting point/freezing point Not available.

Initial boiling point and Not applicable

boiling range

Flash point Not applicable
Evaporation rate Not applicable
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

(%

Not flammable

Flammability limit -

upper (%)

Not available.

Vapor pressure

Not applicable

Solubility(ies)

**Solubility (water)** Negligible in water. Partially soluble in toluene and xylene.

Solubility (other) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not applicable

**Decomposition temperature** > 392 °F (> 200 °C)

**Viscosity Explosive properties**Not applicable
Not available.

**Oxidizing properties** No information available.

9.2. Other information

**Percent volatile** 0 % estimated

**Softening point** 176 - 266 °F (80 - 130 °C)

**Specific gravity** 1 - 1.2

### **SECTION 10: Stability and reactivity**

**10.1. Reactivity** Not available.

**10.2. Chemical stability** Stable under normal storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

**10.4. Conditions to avoid** Imaging Drum: Exposure to light

**10.5. Incompatible materials** Strong oxidizers

**10.6. Hazardous** Carbon monoxide and carbon dioxide.

decomposition products

## **SECTION 11: Toxicological information**

**General information** Not available. **11.1. Information on toxicological effects** 

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye

Based on available data, the classification criteria are not met.

irritation

**Respiratory sensitization**Based on available data, the classification criteria are not met. **Skin sensitization**Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

**Carcinogenicity**Based on available data, the classification criteria are not met. **Reproductive toxicity**Based on available data, the classification criteria are not met. **Specific target organ toxicity**Based on available data, the classification criteria are not met.

- single exposure

Material name: CF412A-X-XC SDS UK

13779 Version No.: 04 Revision date: 31-Mar-2016 Print date: 31-Mar-2016

Specific target organ toxicity

- repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**Components Species Test Results** 

Amorphous silica (CAS 7631-86-9)

**Acute** 

Oral

LD50 Mouse > 15000 mg/kg

> > 22500 ma/ka Rat

Mixture versus substance

information

Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

## **SECTION 12: Ecological information**

LC50: > 100 mg/l, Fish, 96.00 Hours 12.1. Toxicity

**Product Species Test Results** 

CF412A-X-XC

**Aquatic** 

LC50 Fish Fish > 100 mg/l, 96 Hours

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative

potential

Not available.

**Partition coefficient** 

n-octanol/water (log Kow)

Not available.

**Bioconcentration factor (BCF)** Not available. 12.4. Mobility in soil

Not available.

12.5. Results of PBT

Not a PBT or vPvB substance or mixture.

and vPvB assessment

12.6. Other adverse effects Not available.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Residual waste Not available. Contaminated packaging Not available.

**EU** waste code Not available. Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely **Disposal** 

methods/information dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state,

and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is

available in your location, please visit http://www.hp.com/recycle.

# **SECTION 14: Transport information**

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU regulations**

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Material name: CF412A-X-XC SDS UK

13779 Version No.: 04 Revision date: 31-Mar-2016 Print date: 31-Mar-2016 Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

#### **Authorizations**

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

#### **Restrictions on use**

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

#### Other EU regulations

Other regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Not regulated.

Directive 94/33/EC on the protection of young people at work

Not regulated.

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and

China.

Other information This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

**National regulations** Not available. 15.2. Chemical safety Not available.

assessment

**SECTION 16: Other information** 

References Not available. Information on evaluation Not available.

method leading to the classification of mixture

Tssue date 16-Oct-2015 **Revision information** None. **Training information** Not available.

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It

should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

Material name: CF412A-X-XC SDS UK

13779 Version No.: 04 Revision date: 31-Mar-2016 Print date: 31-Mar-2016 **Manufacturer information** HP Inc.

11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

### **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

Comprehensive Environmental Response Compensation and Liability Act **CERCLA** 

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

**IARC** International Agency for Research on Cancer

**NIOSH** National Institute for Occupational Safety and Health

**NTP** National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP Toxicity Characteristics Leaching Procedure** 

**TLV** Threshold Limit Value

**TSCA** Toxic Substances Control Act VOC Volatile Organic Compounds

List of abbreviations Not available.

Material name: CF412A-X-XC SDS UK 13779 Version No.: 04 Revision date: 31-Mar-2016 Print date: 31-Mar-2016

7/7