



WD Caviar® Green™

Desktop Hard Drives

As hard drive capacities increase, the power required to run those drives increases as well. WD Caviar Green drives make it possible for energy-conscious customers to build systems with higher capacities and the right balance of system performance, ensured reliability, and energy conservation.



INTERFACE

SATA

WIDTH/HEIGHT

3.5-inch/1-inch

ROTATIONAL SPEED

IntelliPower™

CAPACITIES

750 GB to 3 TB

MODEL NUMBERS

WD30EZRX	WD20EARS	WD10EARS
WD30EZRSDDL	WD20EADS	WD10EADS
WD25EZRX	WD15EARS	WD7500AARS
WD25EZRSDDL	WD15EADS	WD7500AADS

Note: Not all products may be available in all regions of the world.

Product Features

Massive capacity

WD Caviar Green SATA drives now deliver up to 3 TB of storage on a single drive.

Reduced power consumption

WD has reduced power consumption making it possible for our energy-conscious customers to build systems with higher capacities and the right balance of system performance, ensured reliability, and energy conservation.

Cool and quiet

Drives with WD GreenPower Technology™ yield lower operating temperatures for increased reliability and low acoustics for ultra-quiet PCs and external drives.

Perfect for external drives

External drive manufacturers can eliminate the need for a fan in a high-capacity product with a WD Caviar Green drive, the coolest and quietest in its class.

IntelliPower

A fine-tuned balance of spin speed, transfer rate, and caching algorithms designed to deliver both significant power savings and solid performance. Additionally, WD Caviar Green drives consume less current during startup allowing lower peak loads on systems as they are booted.

IntelliSeek™

Calculates optimum seek speeds to lower power consumption, noise, and vibration.

NoTouch™ ramp load technology

The recording head never touches the disk media ensuring significantly less wear to the recording head and media as well as better drive protection in transit.

Advanced Format (AF)

Technology being adopted by WD and other drive manufacturers as one of multiple ways to continue growing hard drive capacities. AF is a more efficient media format that enables increased areal densities. (RX, RS, and RSDTL models only)

Applications

- Desktop PCs, high capacity external storage, and NAS.
- Desktop / Consumer RAID Environments - WD Caviar Green Hard Drives are tested and recommended for use in consumer-type RAID applications (RAID-0 / RAID-1).
- Business Critical RAID Environments – WD Caviar Green Hard Drives are not recommended for and are not warranted for use in RAID environments utilizing Enterprise HBAs and/or expanders and in multi-bay chassis, as they are not designed for, nor tested in, these specific types of RAID applications. For all Business Critical RAID applications, please consider WD's Enterprise Hard Drives that are specifically designed with RAID-specific, time-limited error recovery (TLER), are tested extensively in 24x7 RAID applications, and include features like enhanced RAFF technology and thermal extended burn-in testing.



PUT YOUR LIFE ON IT®



WD Caviar Green

Specifications ¹	3 TB	3 TB	2.5 TB	2.5 TB	2 TB	2 TB
Model number	WD30EZR	WD30EZRSDL	WD25EZR	WD25EZRSDL	WD20EARS	WD20EADS
Interface	SATA 6 Gb/s	SATA 3 Gb/s	SATA 6 Gb/s	SATA 3 Gb/s	SATA 3 Gb/s	SATA 3 Gb/s
Formatted capacity	3,000,592 MB	3,000,592 MB	2,500,495 MB	2,500,495 MB	2,000,398 MB	2,000,398 MB
User sectors per drive	5,860,533,168	5,860,533,168	4,883,781,168	4,883,781,168	3,907,029,168	3,907,029,168
Advanced Format (AF)	Yes	Yes	Yes	Yes	Yes	No
SATA latching connector	Yes	Yes	Yes	Yes	Yes	Yes
Form factor	3.5-inch	3.5-inch	3.5-inch	3.5-inch	3.5-inch	3.5-inch
RoHS compliant ²	Yes	Yes	Yes	Yes	Yes	Yes
Performance						
Data transfer rate (max)						
Buffer to host	6 Gb/s	3 Gb/s	6 Gb/s	3 Gb/s	3 Gb/s	3 Gb/s
Host to/from drive (sustained)	123 MB/s	123 MB/s	123 MB/s	123 MB/s	110 MB/s	110 MB/s
Cache (MB)	64	64	64	64	64	32
Rotational speed (RPM)	IntelliPower	IntelliPower	IntelliPower	IntelliPower	IntelliPower	IntelliPower
Reliability/Data Integrity						
Load/unload cycles ³	300,000	300,000	300,000	300,000	300,000	300,000
Non-recoverable read errors per bits read	<1 in 10 ¹⁴	<1 in 10 ¹⁴	<1 in 10 ¹⁴	<1 in 10 ¹⁴	<1 in 10 ¹⁴	<1 in 10 ¹⁴
Limited warranty (years) ⁴	3	3	3	3	3	3
Power Management						
12VDC (A, peak)	1.78	1.78	1.78	1.78	1.55	1.75
Average power requirements (W)						
Read/write	6	6	6	6	4.5	6
Idle	5.5	5.5	5.5	5.5	2.5	3.7
Standby	0.8	0.8	0.8	0.8	0.7	0.8
Sleep	0.8	0.8	0.8	0.8	0.7	0.8
Environmental Specifications⁵						
Temperature (°C)						
Operating	0 to 60	0 to 60	0 to 60	0 to 60	0 to 60	0 to 60
Non-operating	-40 to 70	-40 to 70	-40 to 70	-40 to 70	-40 to 70	-40 to 70
Shock (Gs)						
Operating (2 ms, read)	30	30	30	30	30	30
Operating (2 ms, read/write)	65	65	65	65	65	65
Non-operating (1 ms)	250	250	250	250	250	250
Average acoustics (dBA) ⁶						
Idle mode	24	24	24	24	24	24
Performance seek mode	29	29	29	29	29	29
Quiet seek mode	25	25	25	25	25	25
Physical Dimensions						
Height (in./mm, max)	1.028/25.4	1.028/25.4	1.028/25.4	1.028/25.4	1.028/25.4	1.028/25.4
Length (in./mm, max)	5.787/147	5.787/147	5.787/147	5.787/147	5.787/147	5.787/147
Width (in./mm, ± .01 in.)	4/101.6	4/101.6	4/101.6	4/101.6	4/101.6	4/101.6
Weight (lb./kg, ± 10%)	1.61/0.73	1.61/0.73	1.61/0.73	1.61/0.73	1.61/0.73	1.61/0.73

¹As used for storage capacity, one megabyte (MB) = one million bytes, one gigabyte (GB) = one billion bytes, and one terabyte (TB) = one trillion bytes. Total accessible capacity varies depending on operating environment. As used for buffer or cache, one megabyte (MB) = 1,048,576 bytes. As used for transfer rate or interface, megabyte per second (MB/s) = one million bytes per second, and gigabit per second (Gb/s) = one billion bits per second. Effective maximum SATA 3 Gb/s transfer rate calculated according to the Serial ATA specification published by the SATA-IO organization as of the date of this specification sheet. Visit www.sata-io.org for details.

²WD hard drive products manufactured and sold worldwide after June 1, 2006, meet or exceed Restriction of Hazardous Substances (RoHS) compliance requirements as mandated by the European Union for electrical and electronic products. The RoHS Directive 2002/95/EC of the European Parliament, which is effective in the EU beginning July 1, 2006, aims to protect human health and the environment by restricting the use of certain hazardous substances in new equipment, and consists of restrictions on lead, mercury, cadmium, and other substances.

³Controlled unload at ambient condition

⁴The term of the limited warranty may vary by region. Visit support.wdc.com/warranty for details.

⁵No non-recoverable errors during operating tests or after non-operating tests.

⁶Sound power level.



WD Caviar Green

Specifications ¹	1.5 TB	1.5 TB	1 TB	1 TB	750 GB	750 GB
Model number	WD15EARS	WD15EADS	WD10EADS	WD10EARS	WD7500AARS	WD7500AADS
Interface	SATA 3 Gb/s	SATA 3 Gb/s	SATA 3 Gb/s	SATA 3 Gb/s	SATA 3 Gb/s	SATA 3 Gb/s
Formatted capacity	1,500,301 MB	1,500,301 MB	1,000,204 MB	1,000,204 MB	750,156 MB	750,156 MB
User sectors per drive	2,930,277,168	2,930,277,168	1,953,525,168	1,953,525,168	1,465,149,168	1,465,149,168
Advanced Format (AF)	Yes	No	No	Yes	Yes	No
SATA latching connector	Yes	Yes	Yes	Yes	Yes	Yes
Form factor	3.5-inch	3.5-inch	3.5-inch	3.5-inch	3.5-inch	3.5-inch
RoHS compliant ²	Yes	Yes	Yes	Yes	Yes	Yes
Performance						
Data transfer rate (max)						
Buffer to host	3 Gb/s	3 Gb/s	3 Gb/s	3 Gb/s	3 Gb/s	3 Gb/s
Host to/from drive (sustained)	110 MB/s	110 MB/s	110 MB/s	111 MB/s	111 MB/s	110 MB/s
Cache (MB)	64	32	32	64	64	32
Rotational speed (RPM)	IntelliPower	IntelliPower	IntelliPower	IntelliPower	IntelliPower	IntelliPower
Reliability/Data Integrity						
Load/unload cycles ³	300,000	300,000	300,000	300,000	300,000	300,000
Non-recoverable read errors per bits read	<1 in 10 ¹⁴	<1 in 10 ¹⁴	<1 in 10 ¹⁴	<1 in 10 ¹⁴	<1 in 10 ¹⁴	<1 in 10 ¹⁴
Limited warranty (years) ⁴	3	3	3	3	3	3
Power Management						
12VDC (A, peak)	1.55	1.75	1.464	1.75	1.75	1.464
Average power requirements (W)						
Read/write	4.5	6	4.9	4.9	4.9	4.9
Idle	2.5	3.7	2.8	2.8	2.8	2.8
Standby	0.7	0.8	0.4	0.4	0.4	0.4
Sleep	0.7	0.8	0.4	0.4	0.4	0.4
Environmental Specifications⁵						
Temperature (°C)						
Operating	0 to 60	0 to 60	0 to 60	0 to 60	0 to 60	0 to 60
Non-operating	-40 to 70	-40 to 70	-40 to 70	-40 to 70	-40 to 70	-40 to 70
Shock (Gs)						
Operating (2 ms, read)	30	30	30	30	30	30
Operating (2 ms, read/write)	65	65	65	65	65	65
Non-operating (1 ms)	250	250	300	300	300	300
Average acoustics (dBA) ⁶						
Idle mode	24	24	23	23	23	23
Performance seek mode	29	29	27	27	27	27
Quiet seek mode	25	25	24	24	24	24
Physical Dimensions						
Height (in./mm, max)	1.028/25.4	1.028/25.4	1.028/25.4	1.028/25.4	1.028/25.4	1.028/25.4
Length (in./mm, max)	5.787/147	5.787/147	5.787/147	5.787/147	5.787/147	5.787/147
Width (in./mm, ± .01 in.)	4/101.6	4/101.6	4/101.6	4/101.6	4/101.6	4/101.6
Weight (lb./kg, ± 10%)	1.61/0.73	1.61/0.73	1.32/0.60	1.32/0.60	1.32/0.60	1.32/0.60

¹ As used for storage capacity, one megabyte (MB) = one million bytes, one gigabyte (GB) = one billion bytes, and one terabyte (TB) = one trillion bytes. Total accessible capacity varies depending on operating environment. As used for buffer or cache, one megabyte (MB) = 1,048,576 bytes. As used for transfer rate or interface, megabyte per second (MB/s) = one million bytes per second, and gigabit per second (Gb/s) = one billion bits per second. Effective maximum SATA 3 Gb/s transfer rate calculated according to the Serial ATA specification published by the SATA-IO organization as of the date of this specification sheet. Visit www.sata-io.org for details.

² WD hard drive products manufactured and sold worldwide after June 1, 2006, meet or exceed Restriction of Hazardous Substances (RoHS) compliance requirements as mandated by the European Union for electrical and electronic products. The RoHS Directive 2002/95/EC of the European Parliament, which is effective in the EU beginning July 1, 2006, aims to protect human health and the environment by restricting the use of certain hazardous substances in new equipment, and consists of restrictions on lead, mercury, cadmium, and other substances.

³ Controlled unload at ambient condition

⁴ The term of the limited warranty may vary by region. Visit support.wdc.com/warranty for details.

⁵ No non-recoverable errors during operating tests or after non-operating tests.

⁶ Sound power level.

WD Caviar Green is part of WD's complete lineup of desktop hard drives.

WD Caviar[®] Blue[™]
Desktop Hard Drives
 Performance and reliability for everyday computing.

WD Caviar[®] Green[™]
Desktop Hard Drives
 Cool, quiet, eco-friendly.

WD Caviar[®] Black[™]
Desktop Hard Drives
 Maximum performance for power computing.

Western Digital
 3355 Michelson Drive, Suite 100
 Irvine, California 92612
 U.S.A.

For service and literature:
<http://support.wdc.com>
www.westerndigital.com

800.ASK.4WDC North America
 800.832.4778 Spanish
 +800.6008.6008 Asia Pacific
 00800.27549338 Europe
 (toll free where available)
 +31.880062100 Europe/Middle East/Africa



Canada ICES-003 Class B / NMB-003 Classe B

Western Digital, WD, the WD logo, WD Caviar, and Put Your Life On It are registered trademarks in the U.S. and other countries; and WD Caviar Blue, WD Caviar Green, WD Caviar Black, IntelliSeek, IntelliPower, No Touch, WD GreenPower Technology, and FIT Lab are trademarks of Western Digital Technologies, Inc. Other marks may be mentioned herein that belong to other companies. Product specifications subject to change without notice.