

# Compact-Keyboard G84-4100



Models may vary from the image shown

## Perfection for even the smallest of spaces!

This compact keyboard is the perfect solution for users with only limited space available and low weight requirements. For example, applications in the banking sector, medical institutions or portable systems. Also suitable for 19-inch applications. This keyboard is perfectly suited for slim-line PCs and laptops and can be enhanced optimally with the numeric block G84-4700.

## Key benefits

- Individual keys with Gold Crosspoint contacts (ML technology)
- Designed for continuous usage - over 20 mill. confirmations per key
- High level of reliability and unique precision confirmation feeling
- Minimal space requirements
- Lightweight
- Can also be delivered without "Windows® keys" (83 keys)
- Complete functions of a standard keyboard
- Can be used with the standard drivers of the operating system
- Ideal for 19" applications and mobile use

## Technical Data:

### Layout (country or language):

Product dependant, see table "Models"

### Housing colour:

Product dependant, see table "Models"

### Key colour:

Product dependant, see table "Models"

### Weight (product):

approx. 400 g

### Total weight (with packaging):

approx. 500 g

### Cable Length:

approx. 1.75 m

### Storage Temperature:

-20°C to 65°C

### Operating Temperature:

0°C to 50°C

### Current Consumption:

Product dependant, see table "Models"

### Interface:

Product dependant, see table "Models"

### Product approvals:

- c-tick 
- UL 
- VCCI 
- CE 
- FCC 
- VDE 
- BSMI 

### System requirements:

Product dependant, see table "Models"

### Delivery Volume:

Product dependant, see table "Models"

### Dimensions (product):

approx. 282 x 132 x 26 mm

### Packaging dimensions:

approx. 315 x 190 x 30 mm

### Reliability:

- MCBF > 10 bill. operations
- MTBF (90) > 169,300 hours

### Keyboard:

- Key technology: ML
- Service life, standard key: > 20 million key operations
- Operation characteristics: Linear
- Inscription technology: Laser
- Inscription layout: Standard
- Number of Keys: Product dependant, see table "Models"

### Packaging Unit:

- Number of products in the master package: 42
- Number of master packages per pallet: 8

### Warranty:

2 years

Errors, technical changes and delivery possibilities excepted. Technical information refers only to the specifications of the products. Features may differ from the information provided.

**Models:**

(possible country/layout versions, others available on request)

	Product name	Order number	Layout (country or language)	Housing colour	Key colour	Current Consumption	Interface	System requirements	Delivery Volume	Number of Keys
1	Compact-Keyboard G84-4100	G84-4100LCABB-0	Bulgaria	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
2	Compact-Keyboard G84-4100	G84-4100LCABB-2	Bulgaria	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
3	Compact-Keyboard G84-4100	G84-4100LCABE-0	Belgium	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
4	Compact-Keyboard G84-4100	G84-4100LCABE-2	Belgium	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
5	Compact-Keyboard G84-4100	G84-4100LCACD-0	Canada	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
6	Compact-Keyboard G84-4100	G84-4100LCACD-2	Canada	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
7	Compact-Keyboard G84-4100	G84-4100LCACH-0	Switzerland	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
8	Compact-Keyboard G84-4100	G84-4100LCACH-2	Switzerland	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
9	Compact-Keyboard G84-4100	G84-4100LCADE-0	Germany	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
10	Compact-Keyboard G84-4100	G84-4100LCADE-2	Germany	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
11	Compact-Keyboard G84-4100	G84-4100LCADK-0	Denmark	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83

	Product name	Order number	Layout (country or language)	Housing colour	Key colour	Current Consumption	Interface	System requirements	Delivery Volume	Number of Keys
12	Compact-Keyboard G84-4100	G84-4100LCADK-2	Denmark	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
13	Compact-Keyboard G84-4100	G84-4100LCAES-0	Spain	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
14	Compact-Keyboard G84-4100	G84-4100LCAES-2	Spain	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
15	Compact-Keyboard G84-4100	G84-4100LCAEU-0	US English with EURO symbol	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
16	Compact-Keyboard G84-4100	G84-4100LCAEU-2	US English with EURO symbol	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
17	Compact-Keyboard G84-4100	G84-4100LCAFR-0	France	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
18	Compact-Keyboard G84-4100	G84-4100LCAFR-2	France	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
19	Compact-Keyboard G84-4100	G84-4100LCAGB-0	UK	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
20	Compact-Keyboard G84-4100	G84-4100LCAGB-2	UK	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
21	Compact-Keyboard G84-4100	G84-4100LCAHU-0	Hungary	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
22	Compact-Keyboard G84-4100	G84-4100LCAHU-2	Hungary	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
23	Compact-Keyboard G84-4100	G84-4100LCAIT-0	Italy	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83

	Product name	Order number	Layout (country or language)	Housing colour	Key colour	Current Consumption	Interface	System requirements	Delivery Volume	Number of Keys
24	Compact-Keyboard G84-4100	G84-4100LCAIT-2	Italy	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
25	Compact-Keyboard G84-4100	G84-4100LCAKR-0	Korea	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
26	Compact-Keyboard G84-4100	G84-4100LCAKR-2	Korea	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
27	Compact-Keyboard G84-4100	G84-4100LCANL-0	Netherlands	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
28	Compact-Keyboard G84-4100	G84-4100LCANL-2	Netherlands	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
29	Compact-Keyboard G84-4100	G84-4100LCANO-0	Norway	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
30	Compact-Keyboard G84-4100	G84-4100LCANO-2	Norway	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
31	Compact-Keyboard G84-4100	G84-4100LCAPL-0	Poland	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
32	Compact-Keyboard G84-4100	G84-4100LCAPL-2	Poland	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
33	Compact-Keyboard G84-4100	G84-4100LCAPO-0	Portugal	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
34	Compact-Keyboard G84-4100	G84-4100LCAPO-2	Portugal	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
35	Compact-Keyboard G84-4100	G84-4100LCARB-0	English (US) / Cyrillic	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83

	Product name	Order number	Layout (country or language)	Housing colour	Key colour	Current Consumption	Interface	System requirements	Delivery Volume	Number of Keys
36	Compact-Keyboard G84-4100	G84-4100LCARB-2	English (US) / Cyrillic	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
37	Compact-Keyboard G84-4100	G84-4100LCASF-0	Sweden / Finland	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
38	Compact-Keyboard G84-4100	G84-4100LCASF-2	Sweden / Finland	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
39	Compact-Keyboard G84-4100	G84-4100LCASK-0	Slovakia	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
40	Compact-Keyboard G84-4100	G84-4100LCASK-2	Slovakia	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
41	Compact-Keyboard G84-4100	G84-4100LCATH-0	English (US) / Thai	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
42	Compact-Keyboard G84-4100	G84-4100LCATH-2	English (US) / Thai	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
43	Compact-Keyboard G84-4100	G84-4100LCATS-0	Czech Republic	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
44	Compact-Keyboard G84-4100	G84-4100LCATS-2	Czech Republic	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	83
45	Compact-Keyboard G84-4100	G84-4100LCMBB-0	Bulgaria	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
46	Compact-Keyboard G84-4100	G84-4100LCMBB-2	Bulgaria	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
47	Compact-Keyboard G84-4100	G84-4100LCMBE-0	Belgium	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86

	Product name	Order number	Layout (country or language)	Housing colour	Key colour	Current Consumption	Interface	System requirements	Delivery Volume	Number of Keys
48	Compact-Keyboard G84-4100	G84-4100LCMBE-2	Belgium	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
49	Compact-Keyboard G84-4100	G84-4100LCMCD-0	Canada	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
50	Compact-Keyboard G84-4100	G84-4100LCMCD-2	Canada	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
51	Compact-Keyboard G84-4100	G84-4100LCMCH-0	Switzerland	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
52	Compact-Keyboard G84-4100	G84-4100LCMCH-2	Switzerland	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
53	Compact-Keyboard G84-4100	G84-4100LCMDE-0	Germany	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
54	Compact-Keyboard G84-4100	G84-4100LCMDE-2	Germany	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
55	Compact-Keyboard G84-4100	G84-4100LCMDK-0	Denmark	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
56	Compact-Keyboard G84-4100	G84-4100LCMDK-2	Denmark	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
57	Compact-Keyboard G84-4100	G84-4100LCMES-0	Spain	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
58	Compact-Keyboard G84-4100	G84-4100LCMES-2	Spain	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
59	Compact-Keyboard G84-4100	G84-4100LCMEU-0	US English with EURO symbol	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86

	Product name	Order number	Layout (country or language)	Housing colour	Key colour	Current Consumption	Interface	System requirements	Delivery Volume	Number of Keys
60	Compact-Keyboard G84-4100	G84-4100LCMEU-2	US English with EURO symbol	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
61	Compact-Keyboard G84-4100	G84-4100LCMFR-0	France	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
62	Compact-Keyboard G84-4100	G84-4100LCMFR-2	France	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
63	Compact-Keyboard G84-4100	G84-4100LCMGB-0	UK	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
64	Compact-Keyboard G84-4100	G84-4100LCMGB-2	UK	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
65	Compact-Keyboard G84-4100	G84-4100LCMHU-0	Hungary	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
66	Compact-Keyboard G84-4100	G84-4100LCMHU-2	Hungary	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
67	Compact-Keyboard G84-4100	G84-4100LCMIT-0	Italy	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
68	Compact-Keyboard G84-4100	G84-4100LCMIT-2	Italy	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
69	Compact-Keyboard G84-4100	G84-4100LCMKR-0	Korea	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
70	Compact-Keyboard G84-4100	G84-4100LCMKR-2	Korea	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
71	Compact-Keyboard G84-4100	G84-4100LCMNL-0	Netherlands	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86

	Product name	Order number	Layout (country or language)	Housing colour	Key colour	Current Consumption	Interface	System requirements	Delivery Volume	Number of Keys
72	Compact-Keyboard G84-4100	G84-4100LCMNL-2	Netherlands	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
73	Compact-Keyboard G84-4100	G84-4100LCMNO-0	Norway	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
74	Compact-Keyboard G84-4100	G84-4100LCMNO-2	Norway	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
75	Compact-Keyboard G84-4100	G84-4100LCMPL-0	Poland	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
76	Compact-Keyboard G84-4100	G84-4100LCMPL-2	Poland	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
77	Compact-Keyboard G84-4100	G84-4100LCMPO-0	Portugal	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
78	Compact-Keyboard G84-4100	G84-4100LCMPO-2	Portugal	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
79	Compact-Keyboard G84-4100	G84-4100LCMRB-0	English (US) / Cyrillic	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
80	Compact-Keyboard G84-4100	G84-4100LCMRB-2	English (US) / Cyrillic	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
81	Compact-Keyboard G84-4100	G84-4100LCMSF-0	Sweden / Finland	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
82	Compact-Keyboard G84-4100	G84-4100LCMSF-2	Sweden / Finland	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
83	Compact-Keyboard G84-4100	G84-4100LCMSK-0	Slovakia	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86



	Product name	Order number	Layout (country or language)	Housing colour	Key colour	Current Consumption	Interface	System requirements	Delivery Volume	Number of Keys
84	Compact-Keyboard G84-4100	G84-4100LCMSK-2	Slovakia	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
85	Compact-Keyboard G84-4100	G84-4100LCMTH-0	English (US) / Thai	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
86	Compact-Keyboard G84-4100	G84-4100LCMTH-2	English (US) / Thai	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
87	Compact-Keyboard G84-4100	G84-4100LCMTS-0	Czech Republic	light grey	light grey	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
88	Compact-Keyboard G84-4100	G84-4100LCMTS-2	Czech Republic	black	black	typ. 16 mA	USB (PS/2 via adapter)	USB or PS/2 connection	Adapter (USB socket on PS/2 plug), Operating instructions in hard copy	86
89	Compact-Keyboard G84-4100	G84-4100LPABB-0	Bulgaria	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
90	Compact-Keyboard G84-4100	G84-4100LPABB-2	Bulgaria	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
91	Compact-Keyboard G84-4100	G84-4100LPABE-0	Belgium	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
92	Compact-Keyboard G84-4100	G84-4100LPABE-2	Belgium	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
93	Compact-Keyboard G84-4100	G84-4100LPACD-0	Canada	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
94	Compact-Keyboard G84-4100	G84-4100LPACD-2	Canada	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
95	Compact-Keyboard G84-4100	G84-4100LPACH-0	Switzerland	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
96	Compact-Keyboard G84-4100	G84-4100LPACH-2	Switzerland	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
97	Compact-Keyboard G84-4100	G84-4100LPADE-0	Germany	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
98	Compact-Keyboard G84-4100	G84-4100LPADE-2	Germany	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
99	Compact-Keyboard G84-4100	G84-4100LPADK-0	Denmark	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
100	Compact-Keyboard G84-4100	G84-4100LPADK-2	Denmark	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
101	Compact-Keyboard G84-4100	G84-4100LPAES-0	Spain	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
102	Compact-Keyboard G84-4100	G84-4100LPAES-2	Spain	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83

	Product name	Order number	Layout (country or language)	Housing colour	Key colour	Current Consumption	Interface	System requirements	Delivery Volume	Number of Keys
103	Compact-Keyboard G84-4100	G84-4100LPAEU-0	US English with EURO symbol	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
104	Compact-Keyboard G84-4100	G84-4100LPAEU-2	US English with EURO symbol	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
105	Compact-Keyboard G84-4100	G84-4100LPAFR-0	France	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
106	Compact-Keyboard G84-4100	G84-4100LPAFR-2	France	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
107	Compact-Keyboard G84-4100	G84-4100LPAGB-0	UK	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
108	Compact-Keyboard G84-4100	G84-4100LPAGB-2	UK	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
109	Compact-Keyboard G84-4100	G84-4100LPAHU-0	Hungary	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
110	Compact-Keyboard G84-4100	G84-4100LPAHU-2	Hungary	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
111	Compact-Keyboard G84-4100	G84-4100LPAIT-0	Italy	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
112	Compact-Keyboard G84-4100	G84-4100LPAIT-2	Italy	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
113	Compact-Keyboard G84-4100	G84-4100LPAKR-0	Korea	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
114	Compact-Keyboard G84-4100	G84-4100LPAKR-2	Korea	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
115	Compact-Keyboard G84-4100	G84-4100LPANL-0	Netherlands	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
116	Compact-Keyboard G84-4100	G84-4100LPANL-2	Netherlands	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
117	Compact-Keyboard G84-4100	G84-4100LPANO-0	Norway	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
118	Compact-Keyboard G84-4100	G84-4100LPANO-2	Norway	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
119	Compact-Keyboard G84-4100	G84-4100LPAPL-0	Poland	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
120	Compact-Keyboard G84-4100	G84-4100LPAPL-2	Poland	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
121	Compact-Keyboard G84-4100	G84-4100LPAPO-0	Portugal	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
122	Compact-Keyboard G84-4100	G84-4100LPAPO-2	Portugal	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
123	Compact-Keyboard G84-4100	G84-4100LPARB-0	English (US) / Cyrillic	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
124	Compact-Keyboard G84-4100	G84-4100LPARB-2	English (US) / Cyrillic	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
125	Compact-Keyboard G84-4100	G84-4100LPASF-0	Sweden / Finland	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
126	Compact-Keyboard G84-4100	G84-4100LPASF-2	Sweden / Finland	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83

	Product name	Order number	Layout (country or language)	Housing colour	Key colour	Current Consumption	Interface	System requirements	Delivery Volume	Number of Keys
127	Compact-Keyboard G84-4100	G84-4100LPASK-0	Slovakia	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
128	Compact-Keyboard G84-4100	G84-4100LPASK-2	Slovakia	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
129	Compact-Keyboard G84-4100	G84-4100LPATH-0	English (US) / Thai	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
130	Compact-Keyboard G84-4100	G84-4100LPATH-2	English (US) / Thai	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
131	Compact-Keyboard G84-4100	G84-4100LPATS-0	Czech Republic	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
132	Compact-Keyboard G84-4100	G84-4100LPATS-2	Czech Republic	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	83
133	Compact-Keyboard G84-4100	G84-4100LPMBB-0	Bulgaria	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
134	Compact-Keyboard G84-4100	G84-4100LPMBB-2	Bulgaria	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
135	Compact-Keyboard G84-4100	G84-4100LPMBE-0	Belgium	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
136	Compact-Keyboard G84-4100	G84-4100LPMBE-2	Belgium	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
137	Compact-Keyboard G84-4100	G84-4100LPMCD-0	Canada	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
138	Compact-Keyboard G84-4100	G84-4100LPMCD-2	Canada	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
139	Compact-Keyboard G84-4100	G84-4100LPMCH-0	Switzerland	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
140	Compact-Keyboard G84-4100	G84-4100LPMCH-2	Switzerland	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
141	Compact-Keyboard G84-4100	G84-4100LPMDE-0	Germany	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
142	Compact-Keyboard G84-4100	G84-4100LPMDE-2	Germany	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
143	Compact-Keyboard G84-4100	G84-4100LPMDK-0	Denmark	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
144	Compact-Keyboard G84-4100	G84-4100LPMDK-2	Denmark	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
145	Compact-Keyboard G84-4100	G84-4100LPMES-0	Spain	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
146	Compact-Keyboard G84-4100	G84-4100LPMES-2	Spain	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
147	Compact-Keyboard G84-4100	G84-4100LPMEU-0	US English with EURO symbol	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
148	Compact-Keyboard G84-4100	G84-4100LPMEU-2	US English with EURO symbol	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
149	Compact-Keyboard G84-4100	G84-4100LPMFR-0	France	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
150	Compact-Keyboard G84-4100	G84-4100LPMFR-2	France	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86

	Product name	Order number	Layout (country or language)	Housing colour	Key colour	Current Consumption	Interface	System requirements	Delivery Volume	Number of Keys
151	Compact-Keyboard G84-4100	G84-4100LPMGB-0	UK	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
152	Compact-Keyboard G84-4100	G84-4100LPMGB-2	UK	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
153	Compact-Keyboard G84-4100	G84-4100LPMHU-0	Hungary	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
154	Compact-Keyboard G84-4100	G84-4100LPMHU-2	Hungary	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
155	Compact-Keyboard G84-4100	G84-4100LPMIT-0	Italy	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
156	Compact-Keyboard G84-4100	G84-4100LPMIT-2	Italy	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
157	Compact-Keyboard G84-4100	G84-4100LPMKR-0	Korea	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
158	Compact-Keyboard G84-4100	G84-4100LPMKR-2	Korea	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
159	Compact-Keyboard G84-4100	G84-4100LPMNL-0	Netherlands	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
160	Compact-Keyboard G84-4100	G84-4100LPMNL-2	Netherlands	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
161	Compact-Keyboard G84-4100	G84-4100LPMNO-0	Norway	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
162	Compact-Keyboard G84-4100	G84-4100LPMNO-2	Norway	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
163	Compact-Keyboard G84-4100	G84-4100LPMPL-0	Poland	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
164	Compact-Keyboard G84-4100	G84-4100LPMPL-2	Poland	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
165	Compact-Keyboard G84-4100	G84-4100LPMPO-0	Portugal	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
166	Compact-Keyboard G84-4100	G84-4100LPMPO-2	Portugal	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
167	Compact-Keyboard G84-4100	G84-4100LPMRB-0	English (US) / Cyrillic	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
168	Compact-Keyboard G84-4100	G84-4100LPMRB-2	Germany / Cyrillic	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
169	Compact-Keyboard G84-4100	G84-4100LPMSF-0	Sweden / Finland	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
170	Compact-Keyboard G84-4100	G84-4100LPMSF-2	Sweden / Finland	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
171	Compact-Keyboard G84-4100	G84-4100LPMSK-0	Slovakia	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
172	Compact-Keyboard G84-4100	G84-4100LPMSK-2	Slovakia	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
173	Compact-Keyboard G84-4100	G84-4100LPMTH-0	English (US) / Thai	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
174	Compact-Keyboard G84-4100	G84-4100LPMTH-2	English (US) / Thai	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86

	Product name	Order number	Layout (country or language)	Housing colour	Key colour	Current Consumption	Interface	System requirements	Delivery Volume	Number of Keys
175	Compact-Keyboard G84-4100	G84-4100LPMTS-0	Czech Republic	light grey	light grey	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86
176	Compact-Keyboard G84-4100	G84-4100LPMTS-2	Czech Republic	black	black	typ. 4 mA	PS/2	PS/2 connection	Operating instructions in hard copy	86