## Lenovo V530-15ICR 11BH003AUK

**Product** 

Lenovo V530-15ICR

Region

WE

Country/Region

UK

Machine Type

11BH

TopSeller

TopSeller

Processor

Intel Core i3-8100 (4C / 4T, 3.6GHz, 6MB)

Graphics

Integrated Intel UHD Graphics 630

**Monitor Cable** 

None

Memory

1x 8GB DIMM DDR4-2666

Storage

256GB SSD 2.5" SATA6Gb/s Opal

**Optane Memory** 

None

Optical

9.0mm DVD±RW

Media Reader

7-in-1

WLAN + Bluetooth

None

Ethernet

Integrated

**Optional Rear Ports** 

None

Speaker

1.5Wx1

Keyboard

USB Calliope Keyboard, Black, English (UK)

Mouse

USB Calliope Mouse, Black

**Power Supply** 

180W 85%

Operating System

Windows 10 Pro 64, English

**Bundled Software** 

None

Base Warranty

1-year, Onsite

**Bundled Service** 

None

**End of Support** 

2025-11-15

Announce Date

2019-10-15



Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



## https://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.
© Lenovo, 2019. All rights reserved.







## Lenovo V530-15ICR Tower Platform Specifications

Processor	Intel® Celeron®, Intel or 8th / 9th Generation			i9 Proce	ssor		Audio support	High Definition (HD) Audio, Realtek® ALC623-CG, optional internal speaker (1.5 watt )
	Processor	Cores / Threads	Frequency Base/Max(GHz)	Cache	Memory Support (Up to)	Integrated Graphics	WLAN	Some: 11ac wireless, M.2 Card, Realtek 8821CE (dual band), Wi-Fi + Bluetooth 4.0 combo adapter, 1x1
	Celeron G4900	2/2	3.1G	2 MB				Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165, Wi-Fi + Bluetooth 4.0 combo adapter, 1x1  Some: Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter One gigabit ethernet port, Realtek RTL8111HN, Wake on LAN® None
	Celeron G4920	2/2	3.2G	2 MB	DDR4-2400	UHD 610	Bluetooth™ Ethernet Modem	
	Pentium Gold G5400	2/4	3.7G	4 MB				
	Pentium Gold G5420	2/4	3.8G	4 MB				
	Core i3-8100	4/4	4 / 4 3.6G 6 MB	Manageability	None			
	Core i3-9100	4/4	3.6G / 4.2G	6 MB		]	Security chip	Firmware TPM 2.0
	Core i5-8400	6/6	2.8G / 4.0G	9 MB			Security features	One lock to secure both cover and     Administrator password     Administrator password     Hard dick password
	Core i5-8500	6/6	3.0G / 4.1G	9 MB	_			<ul> <li>entire system to fixed object:</li> <li>Padlock loop (in rear for opt padlock)</li> <li>Hard disk password</li> <li>Power-on password</li> </ul>
	Core i7-8700	6/12	3.2G / 4.6G	12 MB		UHD 630		-Security slot (in rear for optional   • USB port disablement
	Core i5-9400	6/6	2.9G / 4.1G	9 MB	DDR4-2666			Kensington® MicroSaver® cable)
	Core i5-9500	6/6	3.0G / 4.4G	9 MB	-		Keyboard Mouse	Some: Lenovo Calliope Keyboard (USB connector), black Some: Lenovo Calliope Mouse (USB connector), red wheel, black Some: Lenovo Fingerprint Mouse (USB connector), black
	Core i7-9700 Core i9-9900	8/8	3.0G / 4.7G 3.1G / 5.0G	12 MB 16 MB				
Memory	32GB max, UDIMM, DDR4-2666*, two 288-pin DIMM sockets, non-ECC, dual-channel capable * System automatically clocks down for the processors with lower memory controller						Mechanical	<ul> <li>Tower (15L), black color, metal case</li> <li>5.7" W X 10.9" D X 14.2" H</li> <li>145mm W X 276mm D X 360mm H</li> <li>Approx. 12.6 lb (5.7 kg), weight may vary by configuration</li> </ul>
Storage  Some: Hard Drive / SATA 6.0Gb/s, 3.5", 7200 rpm  Some: Solid State Drive (SSD) / SATA 6.0Gb/s  Some: Solid State Drive (SSD) / SATA 6.0Gb/s, Opal  Some: M.2 Solid State Drive (SSD) / PCle NVMe, PCle 3.0 x 4  * 128GB SSD M.2 (2242) PCle NVMe only supports PCle 3.0 x 2, 16Gb/s  Optane™ Memory Optional 16GB Intel Optane Memory (not support Celeron / Pentium Processor), M.2						Bay 1: Slim external ODD bay Bay 2: 2.5", internal, HDD/SSD (optional bay, bay comes with disk) Bay 3: 3.5", internal, HDD/SSD (optional bay, bay comes with disk) Slot 1: PCIe 3.0 x16 Slot 2: PCIe 3.0 x1 M.2 card slots: Two M.2 (one for WLAN, one for M.2 SSD)		
Optical Drive							Power supply	180 watts, autosensing, 85% PSU
Onboard SATA Card reader							Limited warranty	Some: 1-year depot repair or Carry-in service Some: 1-year or 3-year, limited onsite service
Graphics Parallel Cable	Intel UHD Graphics 610/630 in processor, uses main memory, DirectX® 12, one VGA, one DisplayPort™, one HDMI, supports three independent displays, works along with discrete graphics to support more displays;  Max resolution: 4096x2304 (DP)@60Hz; 4096x2160 (HDMI)@24Hz; 1920x1080 (VGA)@60Hz  Some: NVIDIA Geforce® GT 730, DirectX 12, 2GB, GDDR5, PCIe 2.0 x8 adapter, one VGA, one HDMI, 35 watts;  Max resolution: 3840x2160 (HDMI)@30Hz; 2048x1536 (VGA)@75Hz						Preload	Preloaded operating system  Some: Windows 10 Pro 64-bit  Some: Windows 10 Home 64-bit  Preloaded applications (only some listed)  • Microsoft Office preloaded; purchase a product key to activate  • Lenovo Vantage  • Lenovo App Explorer  • McAfee® LiveSafe™(30-day trial)
	Optional Intel B265 Chinast						Environment	ENERGY STAR® 7.0 ; EPEAT™ Silver rating; GREENGUARD®; RoHS-compliant
Chipset Front ports*	Intel B365 Chipset Six USB 3.1 Gen 1, microphone (3.5mm), combo audio/microphone jack (3.5mm),					(3 5mm)	Accessories	For compatible accessories, please go to http://smartfind.lenovo.com/
Rear ports*	optional card reader Four USB 2.0, one serial, optional parallel, one ethernet (RJ-45), one VGA, one DisplayPort, one HDMI, additional VGA, DisplayPort, or HDMI on optional graphic card on some models							
Rear audio ports*	* Line-in (3.5mm), line-out (3.5mm), microphone (3.5mm) * Depending on many factors, actual data transfer speed may be lower than theoretical speed							















