

1. Chemical Product and Company Identification

Identification of the preparation	HP LaserJet Q5942A-X-XD Print Cartridge	
Use of the preparation	This product is a toner preparation that is used in HP LaserJet 4240/4250/4350 series printers.	
Manufacturer information	Hewlett-Packard Company 11311 Chinden Boulevard Boise, ID 83714 USA	
Hewlett-Packard health effects line		
(Toll-free within the US) (Direct)	1-800-457-4209 1-503-494-7199	
General information telephone number		
HP Customer Care Line (Toll-free) (Direct)	1-800-474-6836 1-800-474-6836 1-208-323-2551	
Date prepared	May 03, 2007	

2. Composition / Information on Ingredients

Component/substance	CAS number	% by weight
Polyester resin	Trade Secret	40 - 50
Iron oxide	1317-61-9	40 - 50
Amorphous silica	7631-86-9	1 - 3

3. Hazards Identification

nlikely to cause skin irritation. ay cause transient slight irritation inimal respiratory tract irritation may occur with exposure to large amounts of toner dust. ow acute toxicity. Ingestion is a minor route of entry for intended use of this product. otential routes of exposure under normal use conditions are skin, eye contact and inhalation
inimal respiratory tract irritation may occur with exposure to large amounts of toner dust. we acute toxicity. Ingestion is a minor route of entry for intended use of this product.
ow acute toxicity. Ingestion is a minor route of entry for intended use of this product.
ntential routes of exposure under normal use conditions are skin, eve contact and inhalation
ntential routes of exposure under normal use conditions are skin, eve contact and inhalation
gestion is not expected to be a primary route of exposure for this product under normal ι and itions.
olonged inhalation of excessive amounts of any dust may cause lung damage. Use of this oduct as intended does not result in inhalation of excessive amounts of dust.
one of the ingredients have been classified as carcinogens according to EU, IARC, MAK, N SHA or ACGIH.
nis product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 399/45/EC, and as amended.

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.



Еуе	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.
Ingestion	Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physician.

5. Fire Fighting Measures

Flash point and method	Not applicable	
Auto ignition temperature	No data available	
Hazardous combustion products	Carbon monoxide and carbon dioxide.	
Extinguishing media	CO2, water, or dry chemical	
Unsuitable extinguishing media	None known.	
Unusual fire and explosion hazard	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.	
Fire fighting equipment/instructions	If fire occurs in the printer, treat as an electrical fire.	
Special firefighting None established. procedures		
6. Accidental Release Measure	S	
Personal precautions	Minimize dust generation and accumulation.	
Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.	

Procedures if material is released or spilled Slowly vacuum or sweep the material into a bag or other sealed container. If a vacuum is used, the motor must be rated as dust explosion-proof. Clean remainder with a damp cloth or vacuum cleaner. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.

7. Handling and Storage	
Handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
Storage	Keep out of the reach of children. Store at room temperature in the original container. Keep the container tightly closed and dry. Store away from strong oxidizers.

8. Exposure Controls/Personal Protection

-	
Exposure limit values	USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)
	ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)
	Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3
Personal protective equipment	
General	No personal respiratory protective equipment required under normal conditions of use.
Exposure guidelines	Use in a well ventilated area.



9. Physical & Chemical Properties

pН	Not applicable	
Vapor pressure	Not applicable	
Boiling point	Not applicable	
Softening point	212 - 302 °F (100 - 150 °C)	
Solubility	Negligible in water. Partially soluble in toluene and xylene.	
Specific gravity	1.4 - 1.8 (H2O = 1)	
Flash point	Not applicable	
Viscosity	Not applicable	
Vapor density	Not applicable	
Flammability	Not flammable	
Appearance	Fine powder	
Form	solid	
Odor	Slight plastic odor	
Oxidizing properties	No information available.	
Other information	Decomposition temperature: > 200 ° C	
Color	Black	

10. Chemical Stability & Reactivity Information

•	•
Stability	Stable under normal storage conditions.
Conditions to avoid	Imaging Drum: Exposure to light
Hazardous polymerization	Will not occur.
Hazardous decomposition products	Carbon monoxide and carbon dioxide.
Incompatibility	Strong oxidizers

11. Toxicological Information

Complete toxicity data are not available for this specific formulation Refer to Section 3 for potential health effects and Section 4 for first aid measures.

Dermal irritation	Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.
Eye irritation	Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.
Sensitization	Not classified as a sensitizer according to EU Directive 67/548/EEC and as amended, and OSHA HCS (US).
Chronic toxicity	No information available.
Oral toxicity	LD50/oral/rat >2000 mg/kg, Not harmful. (OECD 401)
	Not classified for acute oral toxicity according to EU Directive 67/548/EEC and 1999/45/EC.
Carcinogenicity	Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).
Mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)



Reproductive toxicity	Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).		
Symptoms and target organs			
NIOSH - Pocket Guide - Target O	-		
Amorphous silica	7631-86-9	respiratory system, eyes	
12. ECOLOGICAL INFORMATIO	DN		
Other information	This product has not b	een tested for ecological effects.	
13. Disposal Considerations			
Disposal instructions		tridge, unless dust-explosion prevention measures are taken. Finely y form explosive mixtures in air. Dispose of in compliance with federal, ions.	
	recycling of HP original	rademark) supplies recycling program enables simple, convenient l inkjet and LaserJet supplies. For more information and to determine if in your location, please visit http://www.hp.com/recycle.	
14. Transportation Informatio	n		
General	Not a regulated article	under United States DOT, IATA, ADR, IMDG, or RID.	
15. Regulatory Information			
International regulations	under chemical substa	s in this HP product have been notified or are exempt from notification nces notification laws in the following countries: US (TSCA), EU tzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South nd China.	
US federal regulations	US EPA TSCA Inventor orders under TSCA.	y: All chemical substances in this product comply with all rules or	
	US TSCA 12(b): Contains p-Xylene (CAS No. 106-42-3), subject to export notification requirements.		
HMIS ratings	Health: Flammability: Physical hazard:	1 1 0	
NFPA ratings	Health: Flammability: Instability:	1 1 0	
Superfund Amendments and	Reauthorization Act of	1986 (SARA)	
Section 302 extremely hazardous substance	No		
Section 311 hazardous chemical	No		
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No		



16. Other Information

Other information	This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).	
Issue date	May 3 2007 3:10PM	
Revision	4	
Replaces sheet dated	Mar 9 2007 10:00AM	
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.	
MSDS sections updated	Chemical Product and Company Identification: Alternate Trade Names - SKU Numbers	
Explanation of abbreviations		
ACGIH	American Conference of Governmental Industrial Hygienists	
CAS	Chemical Abstracts Service	
CERCLA	Comprehensive Environmental Response Compensation and Liability Act	
CFR	Code of Federal Regulations	
COC	Cleveland Open Cup	
DOT	Department of Transportation	
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)	
IARC	International Agency for Research on Cancer	
NIOSH	National Institute for Occupational Safety and Health	
NTP	National Toxicology Program	
OSHA	Occupational Safety and Health Administration	
PEL	Permissible Exposure Limit	
RCRA	Resource Conservation and Recovery Act	
REC	Recommended	
REL	Recommended Exposure Limit	
SARA	Superfund Amendments and Reauthorization Act of 1986	
STEL	Short-Term Exposure Limit	
TCLP	Toxicity Characteristics Leaching Procedure	
TLV	Threshold Limit Value	
TSCA	Toxic Substances Control Act	
VOC	Volatile Organic Compounds	