

Product name: LC201M, LC203M, LC205M, LC211M, LC213M, LC215M, LC221M, LC223M, LC225XLM, LC231M, LC233M, LC235XLM, LC261M, LC263M, LC645M, LC663M, LC665XLM, LC673M, LC675XLM, LC695XLM Ink

Date of issue: 26 September 2013 Revision date: 21 April 2014 Version: 2.0 SDS No:BHM026–01-EUUSOTHER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

 Product Name (Product code)
 : LC201M (LK9290001), LC203M (LK7748001), LC205M (LK8310001), LC211M (LK9346001), LC213M (LK8548001), LC215M (LK8646001), LC221M (LK9318001), LC223M (LK8388001), LC225XLM (LK8420001), LC231M , LC235XLM (LK8922001), LC261M , LC263M , LC645M , LC663M (LK8946001), LC665XLM (LK8970001), LC673M (LK9078001), LC675XLM (LK9048001), LC695XLM

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture

: These products are dark red ink in a cartridge for Brother Industries, Ltd. inkjet multifunction devices and fax receivers. The cartridge should be used as supplied by Brother and for use in the products stated. Information provided on this SDS is only consistent with the use specified by Brother

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

		Brother Industries, Ltd. 15-1 Naeshiro-cho, Mizuho-ku, Nagoya 467-8561, Japan Telephone (for information): +81-52-824-2735
		Brother International Corporation 200 Crossing Boulevard, Bridgewater, NJ 08807, USA Telephone (for information): +1-877-276-8437
Importer (Canada)		Brother International Corporation (Canada) Ltd. 1 Hotel de Ville, Dollard des Ormeaux, Quebec, H9B 3H6, Canada Telephone (for information): +1-514-685-0600
Importer (Europe)		Brother International Europe Ltd. Brother House, 1 Tame Street, Guide Bridge, Audenshaw, Manchester M34 5JE, UK Telephone (for information): +44-161-330-6531
Importer (Australia)		Brother International (Aust.) Pty. Ltd. ACN 001 393 835 Level 3, Building A, 11 Talavera Road, Macquarie Park, NSW 2113, Australia Telephone (for information): +61-2-9887-4344
E-mail Ac	Idress	sds.info@brother.co.jp
1.4.	Emergency telephone number	
Emergen	cy number :	CHEMTREC +1-703-527-3887 (International) +1-800-424-9300 (North America)

For France only: Antipoison Center telephone number: ORFILA +33-1-45-425-959

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD] Not classified

Australia Classification

Not classified as hazardous according to the criteria of NOHSC



Product name: LC201M, LC203M, LC205M, LC211M, LC213M, LC215M, LC221M, LC223M, LC225XLM, LC231M, LC233M, LC235XLM, LC261M, LC263M, LC645M, LC663M, LC665XLM, LC673M, LC675XLM, LC695XLM Ink

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

No labeling applicable

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH, annex XIII This substance/mixture does not meet the vPvB criteria of REACH, annex XIII

SECTION 3: Composition/information on ingredients

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
glycerol	(CAS No) 56-81-5 (EC no) 200-289-5	10-20	Not classified	Not classified
Magenta Dye	(CAS No) * (EC no) *	< 2.5	N; R51/53	Aquatic Chronic 2, H411
Water	(CAS No) 7732-18-5 (EC no) 231-791-2	65-80	Not classified	Not classified

*Registered

Full text of R- and H- phrases: see section 16

SECTION 4: First aid measures			
4.1. Description of first aid measures	3		
First-aid measures general	: If symptoms persist, obtain medical attention.		
First-aid measures after inhalation	: Obtain medical attention. In case of accident by inhalation : remove casualty to fresh air and keep at rest.		
First-aid measures after skin contact	: Remove contaminated clothing immediately and wash affected skin with plenty of water or soap and water.		
First-aid measures after eye contact	: Obtain medical attention. If substance has got into the eyes, immediately wash out with plenty of water for at least 15 minutes.		
First-aid measures after ingestion	: Obtain immediate medical attention. Wash out mouth with water and give 100-200 ml of water to drink.		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms/injuries after inhalation	: Unlikely route of exposure.		
Symptoms/injuries after skin contact	: Repeated and/or prolonged skin contact may cause irritation.		
Symptoms/injuries after eye contact	: May cause eye irritation.		
Symptoms/injuries after ingestion	: Ingestion may cause irritation of the gastrointestinal tract. Unlikely route of exposure.		

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5	.1. Extinguishing media		
Suitable extinguishing media		Extinguish preferably with dry chemical, carbon dioxide, water spray, foam.	
Unsuitable extinguishing media		None.	
5.2. Special hazards arising from the sub		tance or mixture	
F	ire hazard	Thermal decomposition of organic components may result in occurrence of oxides of carbon.	
	lazardous decomposition products in case of re	Toxic gases may be formed upon combustion and represents a hazard to firefighters. Combustion products: See Section: 10.	

Date of issue: 26 September 2013 Revision date: 21 April 2014 Version: 2.0 SDS No:BHM026–01-EUUSOTHER



Product name: LC201M, LC203M, LC205M, LC211M, LC213M, LC215M, LC221M, LC223M, LC225XLM, LC231M, LC233M, LC235XLM, LC261M, LC263M, LC645M, LC663M, LC665XLM, LC673M, LC675XLM, LC695XLM Ink

Date of issue: 26 September 2013 Revision date: 21 April 2014 Version: 2.0 SDS No:BHM026–01-EUUSOTHER

5.3. Advice for firefighters

Firefighting instructions

: Use appropriate respirator for carbon monoxide and carbon dioxide. Wear positive pressure selfcontained breathing apparatus (SCBA) during the attack phase of firefighting operations and during cleanup in enclosed or poorly ventilated areas immediately after a fire. Personnel not having suitable respiratory protection must leave the area to prevent significant exposure to toxic combustion gases from any source.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective	Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel			
Emergency procedures	: Ensure adequate ventilation. Avoid contact with eyes.		
6.1.2. For emergency responders			
Emergency procedures	: Ensure adequate ventilation. Avoid contact with eyes.		
6.2. Environmental precautions			
Prevent substance entering sewers. Washing	s must be prevented from entering surface water drains.		
6.3. Methods and material for contain	nment and cleaning up		
For containment	: Wipe up ink with absorbent towel.		
Methods for cleaning up	: Wash with water to remove remaining traces of ink.		
6.4. Reference to other sections			
SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			

Precautions for safe handling : Keep out of the reach of children. Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from oxidizing agents.

7.3. Specific end use(s)

Cartridge containing water based ink for inkjet printing machine.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

glycerol (56-81-5)			
Belgium	Local name	Glycérine (brouillard)	
Belgium	Limit value (mg/m ³)	10 mg/m ³	
Czech Republic	Local name	Glycerol, mlha	
Czech Republic	Exposure limits (PEL) (mg/m ³)	10 mg/m ³	
Czech Republic	Exposure limits (PEL) (ppm)	2.4 ppm	
Czech Republic	Exposure limits (NPK-P) (mg/m ³)	15 mg/m ³	
Czech Republic	Exposure limits (NPK-P) (ppm)	3.7 ppm	
Finland	Local name	Glyseroli	
Finland	HTP-arvo (8h) (mg/m ³)	20 mg/m ³	
France	Local name	Glycérine (aérosols de)	
France	VME (mg/m ³)	10 mg/m ³	
Ireland	Local name	Glycerol, mist	
Ireland	OEL (8 hours ref) (mg/m ³)	10 mg/m ³	
Poland	Local name	Glicerol aerozole	
Poland	NDS (mg/m ³)	10 mg/m ³	
Portugal	Local name	Glicerina, névoas	
Portugal	OEL TWA (mg/m³)	10 mg/m³	



Product name: LC201M, LC203M, LC205M, LC211M, LC213M, LC215M, LC221M, LC223M, LC225XLM, LC231M, LC233M, LC235XLM, LC261M, LC263M, LC645M, LC663M, LC665XLM, LC673M, LC675XLM, LC695XLM Ink

Date of issue: 26 September 2013 Revision date: 21 April 2014 Version: 2.0 SDS No:BHM026–01-EUUSOTHER

glycerol (56-81-5)	glycerol (56-81-5)		
United Kingdom	Local name	Glycerol, mist	
United Kingdom	WEL TWA (mg/m ³)	10 mg/m³	
USA - ACGIH	Local name	Glycerin mist	
USA - ACGIH	ACGIH TWA (mg/m ³)	10 mg/m ³ mist	
USA - ACGIH	Remark (ACGIH)	URT irr	
USA - OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m ³ Total dust 5 mg/m ³ Respirable Fraction	

8.2. Exposure controls	
Appropriate engineering controls	: Good general ventilation should be sufficient under normal use.
Personal protective equipment	: Not normally required. For use other than in normal operating procedures (such as in the event of large spill), the following should be applied:
Hand protection	: protective gloves.
Eye protection	: Safety goggles.
Skin and body protection	: Long sleeved clothing and long pants.
Respiratory protection	: In case of large spillages: Wear suitable respiratory protective equipment.
Environmental exposure controls	: Avoid release to the environment.
·	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: Dark red	
Color	: Dark red	
Odor	: Slight odor	
Odor threshold	: No information available	
рН	: 7-9	
Relative evaporation rate (butyl acetate=1)	: No information available	
Relative evaporation rate (ether=1)	: Not available	
Melting point	: < 5 °C	
Freezing point	: No data available	
Boiling point	: > 100 °C	
Flash point	: Does not flash at 93.3°C or lower (Tag closed cup & Cleveland opened cup)	
Auto-ignition temperature	: > 400 °C	
Decomposition temperature	: Not available	
Flammability (solid, gas)	: Not applicable	
Vapor pressure	: Not available	
Relative vapor density at 20 °C	: Not available	
Relative density	: No data available	
Specific gravity / density	: 1 - 1.1 g/ml	
Solubility	: Soluble in water	
Log Pow	: No data available	
Log Kow	: No data available	
Viscosity, kinematic	: 2 - 5 mPa·s	
Viscosity, dynamic	: No data available	
Explosive properties	: Not explosive	
Oxidizing properties	: Not available	
Explosion limits	: Not available	



Product name: LC201M, LC203M, LC205M, LC211M, LC213M, LC215M, LC221M, LC223M, LC225XLM, LC231M, LC233M, LC235XLM, LC261M, LC263M, LC645M, LC663M, LC665XLM, LC673M, LC675XLM, LC695XLM Ink

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions No information available.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects	. Information on toxicological effects		
Acute toxicity	: Not classified		
LD ₅₀ oral rat	> 2000 mg/kg (OECD 420 method)		
Skin corrosion/irritation	: Non-irritant. (OECD 404 method) pH: 7 - 9		
Serious eye damage/irritation	: Minimal irritant to the eye. (OECD 405 method) pH: 7 - 9		
Respiratory or skin sensitization	: It is not a skin sensitizer. (OECD 429 method)		
Germ cell mutagenicity	: Negative. (OECD 471 method)		
Carcinogenicity	: Ingredients of this product have not been classified as carcinogens according to IARC monographs, NTP and OSHA		
Reproductive toxicity	: Not classified		
Specific target organ toxicity (single exposure)	: Not classified		
Specific target organ toxicity (repeated exposure)	: Not classified		
Aspiration hazard	: Not classified		

SECTION 12: Ecological information

12.1. Toxicity

glycerol (56-81-5)	
LC ₅₀ fish	51 - 57 ml/l 96 h - Oncorhynchus mykiss
EC ₅₀ Daphnia	> 500 mg/l 24 h - Daphnia magna

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

9	glycerol (56-81-5)	
	Log Pow	-1.76
12	2.4. Mobility in soil	

Ecology - soil

No information available.

Date of issue: 26 September 2013 Revision date: 21 April 2014 Version: 2.0 SDS No:BHM026–01-EUUSOTHER



Product name: LC201M, LC203M, LC205M, LC211M, LC213M, LC215M, LC221M, LC223M, LC225XLM, LC231M, LC233M, LC235XLM, LC261M, LC263M, LC645M, LC663M, LC665XLM, LC673M, LC675XLM, LC695XLM Ink

12.5. Results of PBT and vPvB assessment

This substance/mixture does not meet the PBT criteria of REACH, annex XIII This substance/mixture does not meet the vPvB criteria of REACH, annex XIII Results of PBT assessment Not available

12.6. Other adverse effects

Other adverse effects

: No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in accordance with federal, state and local regulations.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / DOT / UN				
14.1.	UN number			
Not regulated for transport				
14.2.	UN proper shipping name			
Proper S	hipping Name (ADR/RID)	:	None	
Proper Shipping Name (IATA)			None	
Proper Shipping Name (IMDG)		:	None	
14.3.	Transport hazard class(es)			
Not applicable				
14.4.	Packing group			
Not applicable				
14.5.	Environmental hazards			
Other information		:	None	
14.6.	Special precautions for user			
	• •		Nama	
Special t	ransport precautions	:	None	
14.6.1.	Overland transport			
No additional information available				
14.6.2.	Transport by sea			
No additional information available				
14.6.3	Air transport			

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

IBC code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

: Not applicable

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Contains no REACH candidate substance



Product name: LC201M, LC203M, LC205M, LC211M, LC213M, LC215M, LC221M, LC223M, LC225XLM, LC231M, LC233M, LC235XLM, LC261M, LC263M, LC645M, LC663M, LC665XLM, LC673M, LC675XLM, LC695XLM Ink

Date of issue: 26 September 2013 Revision date: 21 April 2014 Version: 2.0 SDS No:BHM026–01-EUUSOTHER

15.1.2. National regulations

Regional legislation

: EU:Not classified as dangerous for supply/use. (1999/45/EC)

USA: All chemical substances contained in this product are and had been listed on the TSCA Chemical Substances Inventory, and none is subject to any of the following TSCA requirements: section 4 test rules; proposed or final section 5(a)(2) significant new use rules; section 5(e) consent orders; section 8(a) preliminary assessment information rules; and section 8(d) health and safety data reporting rules.

Canada: WHMIS: Not applicable. (Manufactured article).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other inform	SECTION 16: Other information				
Indication of changes: SECTION 1.					
Data sources	 U.S. 29CFR Part 1910 ACGIH Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices IARC Monographs on the Evaluation Carcinogenic Risks to Humans World Health Organization EU Directive 91/322/EEC and 2000/39/EC NTP 11th Report on Carcinogens. 				
Abbreviations and acronyms	: IARC (International Agency for Research on Cancer)				
	IATA (International Air Transport Association)				
	IMDG (International Maritime Dangerous Goods Code)				
	IOELV (Indicative Occupational Exposure Limit)				
	REACH (Registration, Evaluation and Authorisation of CHemicals)				
	WHMIS (Workplace Hazardous Material Information System (Canada))				
	ACGIH (American Conference of Governement Industrial Hygienists)				
	DOT (Department Of Transportation (US))				
	ICAO (International Civil Aviation Organization)				
	NOHSC (National Occupational Health and Safety Commission (Australia))				
	NTP (National Toxicology Program) (US)				
	OSHA (Occupational Safety and Health Administration) (US)				
	PEL (Permissible Exposure Limit)				
	TLV (Threshold Limit Value) (ACGIH)				
	TSCA (Toxic Substances Control Act) (US)				
	TWA (Time Weighted Average).				
Other information	: The information only relates to this specific product. It may not be valid, if used in combination with any other materials or in any other process, and it is based on our best knowledge as of the date of preparation (revision).				
Full tout of D. I.I. and FUIL abragas					

Full text of R-, H- and EUH-phrases:

Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
H411	Toxic to aquatic life with long lasting effects
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
Ν	Dangerous for the environment